7217/64721

determining whether the mobile station exists in the specific area, from the signals received by either the base station and the mobile station.--

REMARKS

Claims 1-14 remain in the application and claims 7-8, 10, and 12-13 have been amended hereby.

As will be noted from the Declaration, Applicant is a citizen and resident of Japan and this application originated there.

Accordingly, the amendments to the specification are made to place the application in idiomatic English, and the claims are amended to place them in better condition for examination.

An early and favorable examination on the merits is earnestly solicited.

Respectfully submitted, COOPER & DUNHAM, LLP

Jay H. Maioli Reg. No. 27,213

JHM/AVF/pmc

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS

Claims 1-5, 7-8, 10, and 12-13 have been amended as follows:

--1. (Amended) A radio communication system in which radio communication is performed between a base station and a mobile station, [said] the base station comprising:

first transmitting means for transmitting a <u>first</u> transmitted radio signal to the mobile station;

first receiving means for receiving a <u>first received</u> radio signal from the mobile station; and

first control means for controlling the first transmitting means and the first receiving means to achieve high-speed communication between the base station and the mobile station by using at least two basic-frequency channels, when the mobile station exists in a specific area within a cell to which a basic-frequency channel is assigned, the basic-frequency channel [comprising] having a multi-carrier OFDM signal; and

[said] the mobile station comprising:

second transmitting means for transmitting a <u>second</u> transmitted radio signal to the base station;

7217/64721

second receiving means for receiving a <u>second received</u> radio signal from the base station; and

second control means for controlling the second transmitting means and the second receiving means to achieve high-speed communication between the base station and the mobile station by using at least two basic-frequency channels, when the mobile station exists in the specific area.

- --2. (Amended) The <u>radio communication</u> system according to claim 1, wherein the base station and/or the mobile station determine whether the mobile station exists in the specific area, from the <u>first</u> received <u>radio</u> signal <u>or the second</u> received <u>radio</u> signal.
- --3. (Amended) The <u>radio communication</u> system according to claim 1, wherein the high-speed communication is achieved through one OFDM frequency channel composed of the basic-frequency channels and sub-carrier channels provided among the basic-frequency channels.
- --4. (Amended) A base station for use in a radio communication system in which radio communication is performed between the base station and a mobile station, [said] the base station comprising:

transmitting means for transmitting a <u>transmitted</u> radio signal to the mobile station;

receiving means for receiving a received radio signal

from the mobile station; and

control means for controlling the transmitting means and the receiving means to achieve high-speed communication between the base station and the mobile station by using at least two basic-frequency channels, when the mobile station exists in a specific area within a cell to which a basic-frequency channel is assigned, the basic-frequency channel [comprising] having a multi-carrier OFDM signal.

- --5. (Amended) The base station according to claim 4, wherein the control means determines whether the mobile station exists in the specific area, from the received radio signal the receiving means has received from the mobile station.
- --7. (Amended) A mobile station for use in a radio communication system in which radio communication is performed between a base station and the mobile station, [said] the mobile station comprising:

transmitting means for transmitting a <u>transmitted</u> radio signal to the base station;

receiving means for receiving a <u>received</u> radio signal from the base station; and

control means for controlling the transmitting means and the receiving means to achieve high-speed communication between the base station and the mobile station by using at least two basic-frequency channels, when the

mobile station exists in a specific area within a cell to which a basic-frequency channel is assigned, the basic-frequency channel [comprising] having a multi-carrier OFDM signal.

- --8. (Amended) The mobile station according to claim 7, wherein the control means determines whether the mobile station exists in the specific area, from the <u>received</u> signal the receiving means has received from the base station.
- --10. (Amended) A radio communication system in which radio communication is performed between a base station and a mobile station, [said] the radio communication system comprising:
- a plurality of first-type cells to which [one] <u>each</u> of a plurality of basic-frequency [channel] <u>channels</u> is assigned respectively, each channel comprising a multi-carrier OFDM signal; and
- a plurality of second-type cells, each of which is provided in one <u>first-type cell of the plurality of first-type</u> [cell] <u>cells</u>, to which the basic-frequency channels are assigned to achieve high-speed communication between the base station and the mobile station.
- --12. (Amended) A method of performing radio communication between a base station and a mobile station, [said] the method comprising the steps of:

7217/64721

performing radio communication between the base station and the mobile station through a basic-frequency channel assigned to [each] <u>a</u> cell, the basic-frequency channel comprising a multi-carrier OFDM signal; and

performing high-speed communication between the base station and the mobile station, through the basic-frequency channels when the mobile station exists in a specific area within the cell.

--13. (Amended) The method according to claim 12, further [comprises] comprising the step of[:]

determining whether the mobile station exists in the specific area, from the signals <u>received by either</u> the base station [and/or] <u>and the mobile station [have received].--</u>